



3 1156 001

McGILL
OBSTETRIC
NOTE BOOK,

BY

J. C. CAMERON, M.D.,
*Prof. of Obstetrics and Diseases of Infancy,
McGill University.*

MONTREAL :
E. M. RENOUF, Publishers, 2238 St. Catherine Street,
1896.


Entered according to Act of Parliament of Canada, in the year one thousand
thousand eight hundred and ninety-six, by E. M. RENOUF, in the
Office of the Minister of Agriculture.

PREFACE.

Want of success in Obstetric Work is traceable to carelessness and lack of method on the part of the obstetrician rather than to ignorance and incompetence. It is well therefore for the student to learn from the very outset how to make a careful, systematic examination of his patient, to know what he should observe during labor and the puerperium, and to learn how to report what he observes. The methods which he learns as a student are apt to be those which he will use as a practitioner, and he should remember that six or eight cases thoroughly worked up and well reported will be more profitable than a much larger number observed in a careless manner.

At the present day great attention is being paid to external palpation and pelvimetry as means of diagnosis. The cuts of the various presentations and positions will aid the student in mapping out the foetal members, and gaining a mental picture of the attitude of the foetus and its relations to the uterus and pelvis. Strassmann's excellent outline-diagrams which are used in Berlin for recording the results of external palpation, have been appended, and the blanks for the case-reports have been arranged after the model of those used in the Montreal Maternity. A number of useful tables have been added, which will be found serviceable for reference and comparison.

As the metric system is coming rapidly into general use, the student is recommended to record measurements in centimetres, and weights in grammes, placing the English equivalents in brackets. He will thus familiarize himself with both systems and the methods of converting the one into the other.



THERMOMETER TABLE.

CENTIGRADE SCALE. FAHRENHEIT SCALE.




TABLE CALCULATING THE DURATION OF GESTATION.

Jan.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Oct.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7
Nov.																															
Feb.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28			
Nov.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5			
March	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Dec.	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5
April	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Jan.	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	
May	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Feb.	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	1	2	3	4	5	6	7
March																															
June	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
April	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	
July	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
April	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6	7
May																															
Aug.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
May	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7
June																															
Sept.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
June	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6	7	
July																															
Oct.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
July	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	7
Aug.																															
Nov.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Aug.	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	1	2	3	4	5	6	
Sept.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Dec.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Sept.	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6	7
Oct.																															

DIRECTIONS FOR USING TABLE.—As labor occurs in the larger proportion of cases between 270 and 290 days from the last menstruation, it is usual to reckon from the first day of this period, taking as the mean 280 days. The table presents at a glance the beginning and end of 290 days for every day in the year. Find the date of the menstruation in the upper line of the horizontal column, and the figure below, with the corresponding month, will indicate 280 days.

Pelvimetry on the Living Patient.

Between the ant. sup. spines,	26	centimetres (10.24 in.)
Maximum distance between the crests,	28	" (11.02 in.)
External conjugate,	19½ to 20½	" (7.68 to 8.07 in.)
Diagonal "	12.5	" (4.92 in.)
True "	11	" (4.33 in.)

N.B.—To get the conj. ver. from the conj. diag. subtract 1.5 to 2 cm.
(.59 to .79 in.), according to the depth of the symphysis,
the height of the promontory and the angle between the symphysis and conjugate.

Circumference of pelvis over the symphysis, under the crest of the ilium and over the middle of the sacrum behind,	90	centimetres (35.43 in.)
Between the trochanters,	11	" (4.33 in.)
From the lower margin of the symphysis to the tip of the sacrum,	9.5	" (3.74 in.)

—:0:—

Weights & Measures.—English & Metric Equivalents.

WEIGHT—1 gramme = 15.432 grains (15½ nearly).

1 centigramme = .01 grammes = 1.5432 grains (2/13 nearly).

1 milligramme = .001 " = .015 " (1/65 nearly).

1 kilogramme (kilo) = 1000 grammes = 15432.3487 grains =
2.2046 lbs., (2 1/5 lbs)

1 lb. avoirdupois = 16 oz = 7000 grains = 453.593 grammes.

1 oz. " = 437.5 " = 28.3495 "

1 grain " " " " " " .0648 "

CAPACITY—1 litre = 1000 grammes = 1 1/18 quarts (35¼ fl. oz. and 11

1 centilitre = 100 " = ½ fl. oz. minimis.

1 millilitre (cubic centimeter) = measure of 1 gramme of water
= 1/20 fl. oz. = 15½ grains.

LENGTH—1 metre = 39.370432 inches (3 ft. 3¾ in.)

1 centimetre = .3937 " (¾ in. approx.)


1 millimetre = .03937 " (1/32 in. approx.)

1 foot = 12 inches = 304 79726 millimetres (.305 metre).


1 inch . . . = 25.39977 " (.0254 metre).




1.—VERTEX PRESENTATION.—1st position.
Occipito—Left—Anterior.




2.—VERTEX PRESENTATION.—2nd position.
Occipito—Right—Anterior.



3.—VERTEX PRESENTATION.—3rd position.
Occipito—Right—Posterior.




4.—VERTEX PRESENTATION.—4th position.
Occipito—Left—Posterior.




5.—FACE PRESENTATION.—1st position.
Mento—Right—Posterior.




6.—FACE PRESENTATION.—2nd position.
Mento—Left—Posterior.



7.—FACE PRESENTATION.—3rd position.
Mento—Left—Anterior.



8.—FACE PRESENTATION.—4th position.
Mento—Right—Anterior.




9.—BREECH PRESENTATION.—1st position.
Sacro—Left—Anterior.




10.—BREECH PRESENTATION.—2nd position.
Sacro—Right—Anterior.




11.—BREECH PRESENTATION.—3rd position.
Sacro—Right—Posterior.



12.—BREECH PRESENTATION.—4th position.
Left—Sacro—Posterior.



13.—SHOULDER PRESENTATION.—1st position.
Scapula—Left—Anterior.




14.—SHOULDER PRESENTATION.—2nd position.
Scapula—Right—Anterior.



15.—SHOULDER PRESENTATION.—3rd position.
Scapula—Right—Posterior.



16.—SHOULDER PRESENTATION.—4th position.
Scapula—Left—Posterior.



RECORD OF CHILDREN.

Av

Um

Pla

Dir

Cir

At
1st
1 to
6 to
1 to
2 to
6
8
14
Ad

CHILD.

Average weight, 3000 to 3600 grammes (6.6 to 7.9 lbs.)
 " length, 40 to 54 centimetres, (15.9 to 21.26 in.)
 Umbilical cord, av. length, 50 centimetres (19.69 in.); 0 to 200 cm. (0 to 78.74 in.)
 Placenta, av. weight, 1/5 weight of child, i.e., 600-1000 grammes (1.32 to 2.2 lbs.)

DIAMETERS,—

Head—Occipito-frontal (O.F.) 11.5 to 12 c.m. (4.53 to 4.72 in.)
 Occipito-mental (O.M.) 13 cm. (5.12 in.)
 Sub-occipito-bregmatic (S.O.B.) 9½ cm. (3.74 in.)
 Biparietal, (B.P.) 9¼ cm. (3.55 in.)
 Shoulders, 12 cm. (4.72 in.)
 Hips, 9.5 to 10 c.m. (3.74 to 3.94 in.)

CIRCUMFERENCES,—

Occipito-frontal, 32 to 34 cm. (12.6 to 13.39 in.)
 Sub-occipito-bregmatic, 32 " (12.6 in.)
 Occipito-mental, 36 " (14.17 in.)

—:0:—

Normal Pulse and Respiration per Minute.

PULSE.		RESPIRATION.
At birth,	130 to 150	} 30 to 50, average about 44.
1st month,	220 to 140	
1 to 6 months,	about 130	} 25 to 35, " " " 30.
6 to 12 " "	" 120	
1 to 2 years,	110 to 120	— about 28.
2 to 4 " "	" 110	— " 25.
6 " "	" 100	} 20 to 25.
8 " "	" 88	
14 " "	" 87	
Adult,	72	— 16 to 18.

**Table Showing Growth in Height and
Weight of Child.**

AGE.	HEIGHT.	WEIGHT.
Birth,	..19 in...	7 lbs.
1 day,		6 " 11 oz. Lost 5 oz.
2 days,		6 " 8 $\frac{3}{4}$ " " 2 $\frac{1}{4}$ "
3 "		6 " 9 $\frac{3}{4}$ " Regained 1 oz.
4 "		6 " 11 " " 1 $\frac{1}{4}$ "
5 "		6 " 12 $\frac{3}{4}$ " " 1 $\frac{3}{4}$ "
6 "		6 " 14 " " 1 $\frac{1}{4}$ "
7 "		7 "Original weight.
1 month,	..20 $\frac{1}{2}$ in..	8 "
2 months,	..21 " ..	10 "Gained 1 oz. a day.
3 "	..22 " ..	11 $\frac{1}{4}$ " } Gained 5 oz. a week.
4 "	..23 " ..	12 $\frac{1}{2}$ " }
5 "	..23 $\frac{1}{2}$ " ..	14 "Double the original weight,
6 "	..24 " ..	15 " }
7 "	..24 $\frac{1}{2}$ " ..	16 " }
8 "	..25 " ..	17 " }
9 "	..25 $\frac{1}{2}$ " ..	18 " }Gained 1 lb and $\frac{1}{2}$ inch a month.
10 "	..26 " ..	19 " }
11 "	..26 $\frac{1}{2}$ " ..	20 " }
1 year,	..27 " ..	21 " }

Capacity of stomach of infant at birth = $\frac{1}{100}$ body-weight approximately.



Average quantity of food at each meal at birth = 1 oz.

Average rate of increase $\frac{3}{100}$ each week for first six months, subsequently somewhat less.

Intervals between feedings—2 hours at birth, increased gradually to 3 hours by the end of the 3rd month.

Temp. of food for young infants, 100° F.

CASE No. 1.



weight,

each a month.

proximately.

subsequently

to 3 hours

CASE No. 1.

CASE No. 1.

CASE No. 1.



RECORD OF PARTURIENT.

Name and Age..... Mrs. Dawson.....

Occupation Student

(Admitted *Sept 26 1878* *Sept 26 1878*)

Delivered Sept 28 1896

Discharged 1 wife

Last menst. period beg Jan 11/78 Day of Preg 365 days

" " " ended Jan 23 / 98

No. of Pregnancy 2 Labors at full term 2

F. Heart } Position

Presentation. *Serial*

Quantity	Urea
100	100
200	200
300	300
400	400
500	500
600	600
700	700
800	800
900	900
1000	1000

Sp. Gr. 1020 Sugar ...

(Pains began 12.2.77

Membs. Ruptured.....

Hour of Delivery	1st	2nd	3rd
------------------	-----	-----	-----

Hours in Labor	8.20	40	22	Total	9 hrs. 22
----------------	------	----	----	-------	-----------

	1st	2nd	3rd	Comp Partia
--	-----	-----	-----	----------------

Perineum Ruptd. Union (Non

Permitted Response

Applications *James*

Lactation established 10-2-78 day after delivery


Condition on entering Hospital Pregnant

[illegible]

Prefix.—V. Ve

Prefix.—V. Ve



Sept.



Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.

Prefix.—V. Very. Sl. Slightly.

CASE No. 2.



CASE NO. 2.

Previous History:-

Patient was born in Sept 28/76, Scotland. Came to Canada in May 1891 & since then has resided in Montreal. Had none of diseases of childhood except measles which she had when quite a child. About a year ago last July she had a growth removed from her throat but since that has been quite well. Began menstruation at 15. was regular. menses lasting 5-6 days.

History of pregnancy:-

First menstruated in Dec, 7/95. Growing sickness began in Jan 10. During course in January, weakness and vomiting. This continued until mid April 4th. Sickness was first noticed by patient in past winter that time she had felt well but appetite was not rightly established till thirteen weeks of pregnancy.

History of Labor:-

Labor pains came on at 12 A.M. starting off lower lumbar region & radiating down abdomen. Pains were in character at first but near 2 stage they became more intense & occurred at shorter intervals.

On vaginal examination at 6.30 P.M. the cervix was found to be dilated to about the size of a silver dollar. The head was presenting & by the finger placed midway between. But sup. of the umbilicus the foetal heart sounds were elicited (120 per minute).

After the minimum began to diminish, and life & warmth coming out of hot water were applied to it with the result of causing good dilatation. so that head was easily delivered. After the delivery in the first position. Left shoulder was then retracted by manipulating with finger in vagina. The rest of the delivery was comparatively easy.

The Cord was then tied about 2 inches from the umbilicus & a wet dressing of iodine applied.

CASE NO. 2.

A drub of 1:1 solution of Silver nitrate was dropped
 first into each eye.

Placenta came away in
 about 15 minutes after delivery of child
 after which 15 lbs. Eng. 26 was found
 to be present.

On examining the perineum
 it was found to be in good condition, being
 once again at abrasion of the posterior
 arch of the vagina which had not yet re-
 gained its elasticity. A binder not being
 applied. The abdomen, uterus, vagi-
 na, etc. etc. all in good condition, in about 2 hours
 the patient was able to rest.

At 9.15, 3rd day, some more
 drainage of the lochia was seen on exami-
 nation of the vagina. Up at 10.30. Very
 good condition, no fever, 102°

Oct 2nd Fundus about 1 1/2 inches below level of
 umbilicus. Lactations well established.
 Nipples small & very tender. Patient
 well & was given 3i of Rhine


Oct 6th Breasts & nipples in good condition. Fundus
 of uterus about 1 inch above pubic bones

" 7th Sat by bedside a while but on attempting to
 walk with assistance of nurse felt a feel-
 ing of faintness & had to be put to bed.

8th Felt well but remained in bed all day

9th Felt well, free milky secretion. Sat by
 bedside for about 1 hour

CASE No. 2.



RECORD OF PARTURIENT.

Last menst. period began Could not be determined
Dur. of Preg. days

F. Heart { Frequency Position

Urine { Reaction *sl. acid* Albumen *none*
Quantity Urea
Sp. Gr. *1024* Sugar *none*

Pains began 4 A.M. Apr 22^d 1906
 Membs. Ruptured 4 A.M. " "
 Hour of Delivery 2.20 P.M. "

	1st	2nd	3rd	
Hours in Labor	3	7	20 min	Total 10 hr. 20 min

	1st	2nd	3rd	
Perineum Ruptd. <i>Very slight</i>				Union { Complete Partial Non

Labor *Slow & difficult*


Complications *Patient weak & anemic from Tuberculosis*

Lactation established 6 day after delivery.

Condition on entering Hospital Pregnant[illegible]

Abbreviations.—


Prefix.—Y. Ver



Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.
 Prefix.—V. Very. Sl. Slightly.



CASE No. 3.



CASE NO. 3.

Patient was born in Bakersfield Vermont & has lived there all her life. Had the ordinary dreams of childhood was a healthy vigorous girl until menstruation started that was at the age of 15. After the first discharge there was complete amenorrhea for 5 months during which time she felt out of sorts ^{but} not having any pain to speak of. When patient began to menstruate ^{again} it was regular & continued to be so till pregnancy occurred.

Patient has been subject to attacks of cold.

Father long well. Mother died from Consumption as did also one sister, her two sisters still living one living in good health the other troubled with a cough. Two brothers also well.

Examination of Thorax -

Heart - Slightly enlarged to left. Soft systolic murmur at apex. Accumulation of pulmonary sound.

Lungs - Note somewhat high pitched over right lung in front & symmetrical note over left at apex & over latter area heard. Incompletes were heard.

Sputum gave evidences of Tubercle bacilli

History of pregnancy Most defective

History of Labor & Treatment is -

Labor pains came on at 4 A.M. without any warning & the membranes ruptured almost immediately. The pains were slow & sluggish after this not much progress was made for a long time. The patient was in a very weak state

CASE No. 3.

so that patient was given $\frac{3ij}{\text{ss}}$ chloral hydrate at 1:00 P.M. Therefore the patient came over as the pains following were more effectual. Still they were not sufficient to deliver the foetus. The child was delivered at 2:20 with a pain, the head being caught by the palm of the hand placed near region of nape, so that the head was pulled out. The rest of the delivery was easy. The child soon began to breathe and was tied & child taken away.

The patient soon got very weak the pulse could scarcely be counted as the tension was so low. & patient fell into a state of collapse. The head of the child was now lowered & a hypodermic of $\frac{ss}{\text{ss}}$ Ergotin given to more galvanised. Pressure on the fundus was maintained but the placenta did not come away so after an hour of waiting it was decided to remove it by hand in utero which was done but being so adherent it was not all removed. The hemorrhage following was slight. Pressure on fundus was maintained till following morning.

A hot saline enema was given (1127). Hot water bottle to feet. The enema was not retained. Another enema of Beef tea & Brandy $\frac{vi}{\text{ss}}$ was given. Followed later by another saline enema this also was not retained. At 5:30 $\frac{vi}{\text{ss}}$ saline enema was given. The tube being introduced very slowly & left some time before administration of enema. By this means the enema was retained. Two more enemata were given at 6:30 & 8:30 respectively. Both of which were

CASE NO. 3.

retained. the patient now got brighter & continued to improve as shown by the pulse

The course of treatment following this was stimulating & liquid. Milk, brandy beef tea, white of eggs ~~at~~ alternating with digitalis or Stroph. to easy stools. Hot water baths were constantly kept to feet.

During the condition in the uterus the patient received uterine douches of creolin (1-100) after which Iodof. bougies were inserted. after 2^d treatment in this way the uterus was corrected, & flushed out by a good uterine douche. Yet the condition did not improve and the patient died on Apr 29th/91. 7 days after delivery of puerperal septicaemia combined with the weakened state of the patient, from the tuberculous condition in the lungs.

on-

stimulating

~~the~~

has been

fact.

patient

after

is

has

time

one

days

was

the

tion

RECORD OF PARTURIENT.

Occupation) M.

Delivered *12/97*

Last menstr. period began ap/96 10th 14th day of month

" " " ended (Memor listed 7 days)

Frequency 120 - 150 per minute

Presentation *Poster*

Reaction Acid Albumen disturb pres

(Sp. Gr. 1025 Sugar No sugar

Membs. Ruptured.....


Hours in Labor	1.48	3.84	3.1	Total 8.42
----------------	------	------	-----	------------

	1st	2nd	3rd	Complete Partial
2				

Labor Fast & easy

Lactation established day after delivery.



Prefix.—V. V



Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.
Prefix.—V. Very. Sl. Slightly.

Handwritten scribbles and lines on the right margin.

CASE No. 4.



CASE No. 4.

Patient was born in Australia 15 yrs ago. At age of 7 went to England and lived there till 4 years ago when she came to Canada Apr/93. Had measles & Chicken pox in childhood, but apart from that has always been healthy. Has two brothers younger than herself. Mother alive and well. Father died at sea. She began to menstruate at the age of 11. The discharge is profuse & lasting on an average 6-7 days. has been regular except, on one occasion about 2 years ago when the flow lasted for nearly 2 wks. was painless. Patient could ascribe no cause to this.

History of Pregnancy

She last menstruated in beginning of Apr 96 but is not certain of date. Morning sickness began, in June she did not vomit much but had a poor appetite, but could take bread & butter. This condition lasted till about Aug/96. Quickening began about the first of Sept as far as she can remember. Her appetite continued to be poor till within a few wks of full term.

History of Labor

Labor pains set in about 6. a.m. Jan 1997 they were first felt in the small of the back, were weak, recurring at intervals of 5 minutes, & did not seem to radiate

CASE NO. 4.

She entered the hospital at 7.30 A.M. and about 7.45 an emema & a hot vaginal douche were given. Patient said that the membranes did not rupture before entrance & as they were not noticed to rupture after entrance it is therefore likely that the waters came away when the douche was being given.

When Dr. Schaw examined her he found her to be in the 2nd stage of labor. and on external examination the fundus was found to be slightly below the umbilicus cartilage, the head presented. Fetal heart sounds were heard just below & a little to the left of the umbilicus. On examination the head was found low down & so fully dilated. When the head began to descend the perineum had formedations were applied to the perineum. Towards latter part of stage the pains were relieved by whiffs of chloroform. The head was delivered, the cord being about the neck was slipped over the body, the rest of the delivery was easily effected.

The mother was now removed from the mouth the child breathing immediately in delivery 1% solution of silver nitrate dropped into each eye. cord tied & child was taken away.

The placenta was expelled 20 minutes afterwards was healthy looking & membranes

CASE NO. 4.

in tech. Fundus was now 3 finger breadth below the umbilicus. 3i fluid wt of organ was now firm. a binder applied & hour after woman put to rest.

- Jan 19th 3.3 PM - Has just slept easier labor feels very tired but pretty well. Fundus 3 inch below umbilicus. R 100. R 24 1/2
- " 20th Patient feels tired. Took nourishment. Suffered for dinner. Colicium easily squeezed from breast supplies for 9. Fundus 3 inch below umbilicus
- " 21st Vegetation established, feels well. Fundus 2 1/2 inches below umbilicus.
- " 22nd Binder applied to breast. Lactation abundant. Feels well. Fundus about 2 inches below umbilicus
- " 23rd For 100 gals on. Nurses another child as well as her own. Fundus 2 inches below umbilicus
- " 26th Fundus 3 inches below umbilicus
- " 28th Now only nursing her own child. Fundus now reached pelvis. Breast bandage still on. Feels well
- " 29th Binder removed. Got out of bed yesterday
- " 30th Patient walking around. Feels well.
- " 31st Left Hospital today. Feels well. Child also in good health.

det.
as
woman

feel
glow

camp &
brash
then
down

undant
mleikun
or
then

undum
till

ed up
hild

Name and Age.....

Occupation..... { M.
S.

{ Admitted.....
Delivered.....
Discharged.....

Last menst. period began..... Dur. of Preg. days

" " " ended.....

No. of Pregnancy..... Labors at full term

F. Heart { Frequency.....
Position.....

{ Presentation.....
Position.....

Urine { Reaction..... Albumen.....
Quantity..... Urea.....
Sp. Gr..... Sugar.....

{ Pains began.....
Membs. Ruptured.....
Hour of Delivery.....

	1st	2nd	3rd	Total
Hours in Labor				
Perineum Ruptd.				Union { Complete Partial Non

Labor

Complications.....

Lactation established day after delivery.

Condition on entering Hospital

[illegible]



Prefix.—V. Ver

Date.	Time.	Day P. Partum.	107	106	105	104	103	102	101	100	99	98	97	96	PULAE. L.	Amount of Urine.	No. of Stools.	Lesions.	Tongue.
															165				
															160				
															155				
															150				
															145				
															140				
															135				
															130				
															125				
															120				
															115				
															110				
															105				
															100				
															95				
															90				
															85				
															80				
															75				
															70				
															65				
															60				
															55				
															50				
			Hour																
			Time																
			Day P. Partum																

Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.
Prefix.—V. Very. Sl. Slightly.




CASE No. 5.



CASE No. 5.

CASE No. 5.

CASE NO. 5.



CASE No. 6.

RECORD OF PARTURIENT.

Name and Age

Occupation } M.
S.

Admitted

Delivered.....

Discharged

Last menstr. period began..... Dur. of Preg..... days

“ “ “ ended.....

No. of Pregnancy.....Labors at full term.....

F. Heart { Frequency
Position

Presentation

Position.....

Urine	{	Reaction	Albumen
		Quantity	Urea
		Sp. Gr.	Sugar

C Pains began.

Members Ruptured

Hour of Delivery

1st	2nd	3rd
-----	-----	-----

Year	Total
1970	100
1971	100
1972	100
1973	100
1974	100
1975	100
1976	100
1977	100
1978	100
1979	100
1980	100
1981	100
1982	100
1983	100
1984	100
1985	100
1986	100
1987	100
1988	100
1989	100
1990	100
1991	100
1992	100
1993	100
1994	100
1995	100
1996	100
1997	100
1998	100
1999	100
2000	100
2001	100
2002	100
2003	100
2004	100
2005	100
2006	100
2007	100
2008	100
2009	100
2010	100
2011	100
2012	100
2013	100
2014	100
2015	100
2016	100
2017	100
2018	100
2019	100
2020	100
2021	100
2022	100
2023	100
2024	100
2025	100
2026	100
2027	100
2028	100
2029	100
2030	100
2031	100
2032	100
2033	100
2034	100
2035	100
2036	100
2037	100
2038	100
2039	100
2040	100
2041	100
2042	100
2043	100
2044	100
2045	100
2046	100
2047	100
2048	100
2049	100
2050	100
2051	100
2052	100
2053	100
2054	100
2055	100
2056	100
2057	100
2058	100
2059	100
2060	100
2061	100
2062	100
2063	100
2064	100
2065	100
2066	100
2067	100
2068	100
2069	100
2070	100
2071	100
2072	100
2073	100
2074	100
2075	100
2076	100
2077	100
2078	100
2079	100
2080	100
2081	100
2082	100
2083	100
2084	100
2085	100
2086	100
2087	100
2088	100
2089	100
2090	100
2091	100
2092	100
2093	100
2094	100
2095	100
2096	100
2097	100
2098	100
2099	100
2100	100

Hours in Labor	Total
.....	

	1st	2nd	3rd	(Complete)
--	-----	-----	-----	------------

Perineum Punctd	Union	Partial Non
-----------------	-------	----------------

Firma/Raport:

Labor

Complications

Lactation established..... day after delivery

Condition on entering Hospital

	CASE
No.	
Amount of Urins.	
No. of Expos.	
Leslie.	
Tonger.	

Abbreviations



Prefix.—V. V

Date.	Time.	Day P. Partum.	107	106	105	104	103	102	101	100	99	98	97	96	PULSE. F	Amount of Urine.	No. of Stools.	Lochia.	Tongue.
	M														165				
	E														160				
	E														155				
	E														150				
	M														145				
	E														140				
	E														135				
	E														130				
	E														125				
	E														120				
	M														115				
	E														110				
	E														105				
	M														100				
	E														95				
	E														90				
	M														85				
	E														80				
	E														75				
	M														70				
	E														65				
	E														60				
	M														55				
	E														50				
CASE No.		Hour																	
		Time	M	E	M	E	M	E	M	E	M	E	M	E	M	E	M	E	
		Day P. Partum																	

Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.
Prefix.—V. Very. Sl. Slightly.



CASE No. 6.



CASE No. 6.

CASE No. 6.

CASE No. 6.



CASE No. 7.

RECORD OF PARTURIENT.

Name and Age

Occupation { M
C

Admitted.....

Delivered.....

Discharged

Last menstr. period began

Dur. of Preg..... days

“ “ “ ended.....

No. of Pregnancy Labors at full term

F. Heart { Frequency
Position

Presentation

Position.....

Urine	{	Reaction	Albumen
		Quantity	Urea
		Sp. Gr	Sugar

Urine Quantity Urea

Sp. Gr. Sugar

Pains began.

} Membs. Ruptured.....

Hour of Delivery

	1st	2nd	3rd	
Hours in Labor				Total

Hours in Labor		Total
----------------	--	-------

	1st	2nd	3rd	
Perineum Ruptd.				Union } Complete Partial Non

Perineum Ruptd.	Union	Non
.....		

Labor

Complications

Lactation established.....day after delivery

Condition on entering Hospital

	CASE
No.	
Amount of Urine.	
No. of Stools.	
Leucils.	
Tongue.	

Abbreviations



Prefix.—V. V

Date.	Time.	Day P. Partum.	107	106	105	104	103	102	101	100	99	98	97	96	PULSE.	Amount of Urine.	No. of Stools.	Lochia.	Tongue.
	M	E													165				
	E														160				
	M	E													155				
	E														150				
	M	E													145				
	E														140				
	M	E													135				
	E														130				
	M	E													125				
	E														120				
	M	E													115				
	E														110				
	M	E													105				
	E														100				
	M	E													95				
	E														90				
	M	E													85				
	E														80				
	M	E													75				
	E														70				
	M	E													65				
	E														60				
	M	E													55				
	E														50				
			Hour																
			Time																
			Day P. Partum																

Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.
Prefix.—V. Very. Sl. Slightly.

Handwritten marks or symbols on the right margin, possibly a signature or decorative element.

CASE No. 7.



CASE No. 7.

CASE No. 7.

CASE No. 7.



CASE No. 8.

RECORD OF PARTURIENT.

Name and Age

Occupation

Admitted.....

Delivered.....

Discharged

Last menstr. period began.....

Dur. of Preg..... days

“ “ “ ended.....

No. of Pregnancy Labors at full term

F. Heart { Frequency
Position

Presentation

Position _____

Urine	{	Reaction	Albumen
		Quantity	Urea
		Sp. Gr.	Sugar

Pains began.

Membs. Ruptured.....

Hour of Delivery _____

	1st	2nd	3rd
--	-----	-----	-----

Hours in Labor	Total
----------------------	-------------

	1st	2nd	3rd	6 Complet
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				
51				
52				
53				
54				
55				
56				
57				
58				
59				
60				
61				
62				
63				
64				
65				
66				
67				
68				
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				
99				
100				

[illegible]

Perineum Ruptd.	Union	Non
.....		

Labor

Complications.....

Lactation established day after delivery

Condition on entering Hospital

	CASE No.
Amount of Urine.	
No. of Stools.	
Lazolia.	
Tongue.	

Abbreviations.



Prefix.—V. V

Date.	Temp.	Day P. Partum.	107	106	105	104	103	102	101	100	99	98	97	96	PULSE. F.	Amount of Urine.	No. of Stools.	Lochia.	Tongue.
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	166				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	160				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	155				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	150				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	145				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	140				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	136				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	130				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	125				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	120				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	116				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	110				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	105				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	100				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	95				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	90				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	85				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	80				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	75				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	70				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	65				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	60				
	M	E	.	.	.	.	.	.	.	.	.	.	.	.	55				
	E	E	.	.	.	.	.	.	.	.	.	.	.	.	50				
OASE No.			Hour																
			Time	M	E	M	E	M	E	M	E	M	E	M	E	M	E		
			Day P. Partum																

Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.

Prefix.—V. Very. Sl. Slightly.


CASE No. 8.



CASE No. 8.

CASE NO. 8.

CASE No. 8.



CASE No. 9.

RECORD OF PARTURIENT.

Name and Age

Occupation } M.
S.

Admitted

Delivered.....

Discharged

Last menstr. period began.....

Dur. of Preg. days

“ “ “ ended

No. of Pregnancy Labors at full term

F. Heart { Frequency
Position

Presentation

Position

Urine	{	Reaction	Albumen
		Quantity	Urea
		Sp. Gr.	Sugar

Pains began

Membs. Ruptured

Hour of Delivery.....

	1st	2nd	3rd	
Hours in Labor				Total

	1st	2nd	3rd	
Perineum Ruptd.				Union { Complete Partial Non

Labor

Complications

Lactation established day after delivery

Condition on entering Hospital

[illegible]

Abbreviations
Prefix.—V. V


Abbreviations
Prefix.—V. V

Date.	Time.	Day P. Partum.	107	106	105	104	103	102	101	100	99	98	97	96	PUASE. of	Amount of Urine.	No. of Stools.	Lookin.	Tongue.
	M	E													165				
	E														160				
	M	E													155				
	E														150				
	M	E													145				
	E														140				
	M	E													135				
	E														130				
	M	E													125				
	E														120				
	M	E													115				
	E														110				
	M	E													105				
	E														100				
	M	E													95				
	E														90				
	M	E													85				
	E														80				
	M	E													75				
	E														70				
	M	E													65				
	E														60				
	M	E													55				
	E														50				
			Hour																
			Time																
			Day P. Partum																

Abbreviations.—F. Free. M. Moderate. S. Scanty. R. Red. Pk. Pink. Br. Brown. P. Pale. O. Offensive.
Prefix.—V. Very. Sl. Slightly.

Handwritten text, possibly a signature or initials, located on the right edge of the page.


CASE No. 9.



CASE NO. 9.

CASE No. 9.

CASE No. 9.



Name and Age
Occupation } M.
} S.
{ Admitted
{ Delivered
{ Discharged
Last menstr. period began Dur. of Preg. days
“ “ “ ended

F. Heart { Frequency
Position
Presentation
Position

{ Pains began.....
 { Membs. Ruptured.....
 { Hour of Delivery.....

	1st	2nd	3rd	
Perineum Ruptd.				{ Complete Partial Non

Condition on entering Hospital

[illegible]

Abbreviations.—
Prefix.—V. Ver





IMAGE EVALUATION TEST TARGET (MT-3)





12.8 12.5
12.2 12.0

10

1
C
S


CASE No. 10.



CASE No. 10.

CASE No. 10.

CASE No. 10.



RECORD OF CHILDREN.

Aver

“

Umb

Place

DIAM

CIRCU

At birt

1st mon

1 to 6

6 to 12

1 to 2

2 to 4

6

8

14

Adult,

CHILD.

Average weight,	3000 to 3600 grammes (6.6 to 7.9 lbs.)
“ length,	48 to 54 centimetres, (18.9 to 21.26 in.)
Umbilical cord, av. length, 50 centimetres (19.69 in.); 0 to 200 cm. (0 to 78.74 in.)	
Placenta, av. weight, 1/5 weight of child, i.e., 600-1000 grammes (1.32 to 2.2 lbs.)	

DIAMETERS,--

Head--Occipito-frontal (O.F.)	11.5 to 12 c.m. (4.53 to 4.72 in.)
Occipito-mental (O.M.)	13 cm. (5.12 in.)
Sub-occipito-bregmatic (S.O.B.)	9 1/2 cm. (3.74 in.)
Biparietal, (B.P.)	9 1/4 cm. (3.55 in.)
Shoulders,	12 cm. (4.72 in.)
Hips,	9.5 to 10 c.m. (3.74 to 3.94 in.)

CIRCUMFERENCES,--

Occipito-frontal,	32 to 34 cm. (12.6 to 13.39 in.)
Sub-occipito-bregmatic,	32 “ (12.6 in.)
Occipito-mental,	36 “ (14.17 in.)

—:0:—

Normal Pulse and Respiration per Minute.

PULSE.		RESPIRATION.	
At birth,	130 to 150	} 30 to 50, average about 44.	
1st month,	220 to 140		
1 to 6 months,	about 130	} 25 to 35, “ “ 30.	
6 to 12 “	“ 120		
1 to 2 years,	110 to 120	—about 28.	
2 to 4 “	110	— “ 25.	
6 “	100	} 20 to 25.	
8 “	88		
14 “	87		
Adult,	72	—16 to 18.	

Table Showing Growth in Height and Weight of Child.

AGE.	HEIGHT.	WEIGHT.
Birth,	..19 in...	7 lbs.
1 day,	 6	" 11 oz. Lost 5 oz.
2 days,	 6	" 8¾ " " 2¼ "
3 "	 6	" 9¾ " Regained 1 oz.
4 "	 6	" 11 " " 1¼ "
5 "	 6	" 12¾ " " 1¾ "
6 "	 6	" 14 " " 1¾ "
7 "	 7	"Original weight.
1 month,	..20½ in..	8 "
2 months,	..21 " ..	10 "
3 "	..22 " ..	11¼ "
4 "	..23 " ..	12½ "
5 "	..23½ " ..	14 "
6 "	..24 " ..	15 "
7 "	..24½ " ..	16 "
8 "	..25 " ..	17 "
9 "	..25½ " ..	18 "
10 "	..26 " ..	19 "
11 "	..26½ " ..	20 "
1 year,	..27 " ..	21 "

Capacity of stomach of infant at birth = 1/100 body-weight approximately.

Average quantity of food at each meal at birth = 1 oz.

Average rate of increase $\frac{3}{188}$ each week for first six months, subsequently somewhat less.

Intervals between feedings—2 hours at birth, increased gradually to 3 hours by the end of the 3rd month

Temp. of food for young infants, 100° F.

CASE NO. 1.
RECORD OF CHILD.

Sex *Female*
Weight ~~3.1 lbs. female~~ Born *1.05 P.M. Sept 27* 1896
Mother's Name and age *Maggie Moore 32 yrs.*
I para. Health _____
Previous History _____

Presentation and Position *Vertex - L.O.A.*
Caput Succedaneum _____
Umbilical Cord *19 inches*

Delivery *1.05 P.M. Sept 27* 1896
Duration *30* hrs. *20* min.

—:3:—

NOTES AT TIME OF BIRTH.

Primary respirations _____

Circulation _____

Temperature _____

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth _____

MEASUREMENTS.

DIAMETERS.

Occipito-frontal	11	c. m. (	ins.)
“ mental	14	“ (	ins.)
Sub-occipito-bregmatic	10.50	“ (	ins.)
Bi-parietal	9.	“ (	ins.)
Shoulders <i>Circumference</i>	30	“ (	ins.)
Hips “ <i>31 cm</i>		“ (	ins.)

CIRCUMFERENCES.

Occipito-frontal	35	c. m. (	ins.)
Occipito-mental <i>Dia. 14 cm</i>		“ (	ins.)
Sub-occipito-bregmatic	33.50	“ (	ins.)

Length of child *53 cm*

— 10: —

GENERAL REMARKS.

.....

.....

.....

.....

.....

.....

.....

.....

HISTORY.

HEIGHT.

DEFECTIONS.

PULSE.

TEMP.

DATE.

HISTORY.

DATE.	TEMP.		PULSE.		DEFECATIONS.		WEIGHT.
	A.M.	P.M.	A.M.	P.M.	DAY.	NIGHT.	
<i>Spt.</i>							<i>Grms</i>
27	98 3/4	96 3/4	140	126	1	2	3395
28	98 3/4	95 3/4	132	136	1	0	3265
29	98 3/4	95 3/4	136	140	1	1	3200
30	98 3/4	95 3/4	136	132	0	1	3144
<i>Oct</i>							
1	97 3/4	97 3/4	136	128	1	1	3510
2	98	97 3/4	110	144	1	1	3223
3	98 3/4	98	140	140	1	1	3306
4	98 3/4	98 3/4	122	128	1	3	3415
5	98 3/4	98 3/4	124	126	0	1	3338
6	98 3/4	98 3/4	114	144	1	2	3430
7	98 3/4	98 3/4	120	128	1	1	3392
8	98 3/4	98 3/4	114	148	1	0	3445
9	99		118				3427

Ward detained

CASE No. 1.

CASE No. 1.

CASE No. 1.

CASE No. 1.

I
C
U
D
D

P
de

CI

Te

Te

CASE No. 2.
RECORD OF CHILD.

Sex. *F.*

3653 frames
Weight *3653 frames* lbs. oz. Born *E. P. m.* *Sept 28th* 1896
Mother's Name and age *Mrs Dawson aged 18*
Primipara. Health *Good*
Previous History *appears good*

Presentation and Position *pos. tr. L. O. A*
Caput Succedaneum
Umbilical Cord

Delivery *8 P.M. Sept 28th 1896*
Duration *9* hrs. *22* min.

—:0:—

NOTES AT TIME OF BIRTH.

Primary respirations *Began to breathe almost immediately after delivery*

Circulation

Temperature
Taken in rectum for five minutes immediately after birth.
Temperature 6 hrs. after birth

MEASUREMENTS.

DIAMETERS.

Occipito-frontal	12	c. m. ($4\frac{1}{2}$ ins.)
" mental	14	" ($5\frac{1}{2}$ ins.)
Sub-occipito-bregmatic	10	" ($3\frac{7}{8}$ ins.)
Bi-parietal	8	" ($3\frac{1}{8}$ ins.)
Shoulders	15	" ($5\frac{7}{8}$ ins.)
Hips	11	" ($4\frac{3}{8}$ ins.)

CIRCUMFERENCES.

Occipito-frontal	35.50	c. m. (14 ins.)
Occipito-mental	Diameter 14	" ($5\frac{1}{2}$ ins.)
Sub-occipito-bregmatic	32.50	" ($13\frac{1}{8}$ ins.)

Length of child _____

—:0:—

GENERAL REMARKS.

.....

.....

.....

.....

.....

.....

.....

.....

HISTORY.

DATE.	TEMP.		PULSE.		DEFECATIONS.		WEIGHT.
	A.M.	P.M.	A.M.	P.M.	DAY.	NIGHT.	
<i>Sept</i>							<i>found</i>
29	97 $\frac{4}{8}$	98 $\frac{1}{2}$	132	116	1	2	3633
30	98 $\frac{3}{8}$	98 $\frac{3}{8}$	132	140	1	3	3449
1	97 $\frac{3}{8}$	98 $\frac{3}{8}$	140	186	3	2	3450
2	98 $\frac{3}{8}$	98 $\frac{3}{8}$	112	160	1	2	3557
3	98 $\frac{3}{8}$	98 $\frac{3}{8}$	130	140	1	1	3605
4	98 $\frac{3}{8}$	99 $\frac{1}{8}$	118	160	2	3	3725
5	98 $\frac{3}{8}$	98 $\frac{3}{8}$	120	140	1	1	3710
6	98 $\frac{3}{8}$	98 $\frac{3}{8}$	120	140	1	3	3743
7	98 $\frac{3}{8}$	98 $\frac{3}{8}$	122	122	2 1	2	3762
8	98 $\frac{3}{8}$	98 $\frac{3}{8}$	122	132	2	0	3702
9	98 $\frac{3}{8}$		124				3752

Oct

CASE No. 2.

CASE No. 2.

CASE No. 2.

CASE No. 2.

V

M

P

P

C

U

D

D

Pr

Cir

Ter

Ter

CASE No. 3.

RECORD OF CHILD.

Sex *Female*
Weight *3.5 lbs* Born *11.05 a.m. Jan 19th* 18*97*
Mother's Name and age *Ann Beard aged 15*
Primipara. Health *Good*
Previous History *Good*

Presentation and Position *Vertex, L. O. A*

Caput Succedaneum

Umbilical Cord

Delivery *Slow & easy*

Duration hrs. min.

—:0:—

NOTES AT TIME OF BIRTH.

Primary respirations

Circulation

Temperature

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth

MEASUREMENTS.

DIAMETERS.

Occipito-frontal	12	c. m. (	ins.)
" mental	14	" (	ins.)
Sub-occipito-bregmatic	9.75	" (	ins.)
Bi-parietal	9.25	" (	ins.)
Shoulders	<i>Circumference</i> 35.50	" (	ins.)
Hips	31	" (	ins.)

CIRCUMFERENCES.

Occipito-frontal	36.50	c. m. (	ins.)
Occipito-mental	<i>Diameter</i> 14	" (	ins.)
Sub-occipito-bregmatic	32.50	" (	ins.)

Length of child *53 cm*

—:—

GENERAL REMARKS.

.....

.....

.....

.....

.....

.....

.....

.....

HISTORY.

DATE.	TEMP.		PULSE.		DEFECATIONS.		WEIGHT.
	A.M.	P.M.	A.M.	P.M.	DAY.	NIGHT.	
<i>Jan</i>							<i>pannier</i>
19		98 $\frac{1}{2}$		148	/		3150
20	98	98 $\frac{1}{2}$	128	120	/	2	3116
21	98 $\frac{1}{2}$	98 $\frac{1}{2}$	120	130	/	1	2885-
22	98 $\frac{1}{2}$	98	120	160	/	1	2934
23	98 $\frac{1}{2}$	98 $\frac{1}{2}$	120	150	/	1	3063
24	98 $\frac{1}{2}$	97	138	180	/	2	3100
25	98	98	124	118	/	1	3043
26	98 $\frac{1}{2}$	98 $\frac{1}{2}$	150	130	/	1	3100
27	98 $\frac{1}{2}$	98 $\frac{1}{2}$	140	124	/	1	3165
28	98 $\frac{1}{2}$	98	120	120	/	1	3160
29	98 $\frac{1}{2}$	98	120	120	/	1	3270
30	98 $\frac{1}{2}$	13	150		/		3535

CASE No. 3.

CASE No. 3.

CASE No. 3.

CASE No. 3.

V

M

P

P

C

U

D

D

P

C

T

T

CASE No. 4.
RECORD OF CHILD.

Sex.....

Weight.....lbs.....oz. Born.....m.....18

Mother's Name and age.....

.....para. Health.....

Previous History.....

.....

Presentation and Position.....

Caput Succedaneum.....

Umbilical Cord.....

.....

Delivery.....

Duration.....hrs.....min.

—:0:—

NOTES AT TIME OF BIRTH.

Primary respirations.....

.....

.....

Circulation.....

.....

.....

Temperature.....

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth.....

MEASUREMENTS.

DIAMETERS.

Occipito-frontal	c. m. (	ins.)
" mental	" (	ins.)
Sub-occipito-bregmatic	" (	ins.)
Bi-parietal	" (	ins.)
Shoulders	" (	ins.)
Hips	" (	ins.)

CIRCUMFERENCES.

Occipito-frontal	c. m. (	ins.)
Occipito-mental	" (	ins.)
Sub-occipito-bregmatic	" (	ins.)

Length of child

—:O:—

GENERAL REMARKS.

.....

.....

.....

.....

.....

.....

.....

.....

.....

[illegible]

CASE No. 4.

CASE No. 4.

CASE No. 4.

CASE No. 4.

W

M

Pr

Pr

Ca

Un

De

Du

Pri

Cir

Ter

Ter

CASE No. 5.
RECORD OF CHILD.

Sex.....

Weight.....lbs.....oz. Born.....m.....18

Mother's Name and age.....

.....para. Health.....

Previous History.....

.....

Presentation and Position.....

Caput Succedaneum.....

Umbilical Cord.....

.....

Delivery.....

Duration..... hrs. min.

——:0:——

NOTES AT TIME OF BIRTH.

Primary respirations.....

.....

.....

Circulation.....

.....

.....

Temperature.....

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth.....

MEASUREMENTS.

DIAMETERS.

Occipito-frontal	c. m.	(	ins.)
" mental		"	(ins.)
Sub-occipito-bregmatic		"	(ins.)
Bi-parietal		"	(ins.)
Shoulders		"	(ins.)
Hips		"	(ins.)

CIRCUMFERENCES.

Occipito-frontal	c. m.	(	ins.)
Occipito-mental		"	(ins.)
Sub-occipito-bregmatic		"	(ins.)

Length of child

—:O:—

GENERAL REMARKS.

.....

.....


.....

.....

.....

.....

.....



CASE No. 5.

CASE No. 5.

CASE No. 5.

CASE No. 5.

W

M

P

Pr

Ca

Un

De

Du

Pri

Cir

Tem

Tem

CASE No. 6.
RECORD OF CHILD.

..... Sex

Weight lbs. oz. Born m. 18

Mother's Name and age

..... para. Health

Previous History

.....

Presentation and Position

Caput Succedaneum

Umbilical Cord

.....

Delivery

Duration hrs. min.

——:0:——

NOTES AT TIME OF BIRTH.

Primary respirations

.....

.....

Circulation

.....

.....

Temperature

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth

MEASUREMENTS.

DIAMETERS.

Occipito-frontal	c. m. (	ins.)
" mental	" (	ins.)
Sub-occipito-bregmatic	" (	ins.)
Bi-parietal	" (	ins.)
Shoulders	" (	ins.)
Hips	" (	ins.)

CIRCUMFERENCES.

Occipito-frontal	c. m. (	ins.)
Occipito-mental	" (	ins.)
Sub-occipito-bregmatic	" (	ins.)

Length of child

—:O:—

GENERAL REMARKS.

.....

.....

.....

.....

.....

.....

.....

.....

HISTORY.

CASE No. 6.

CASE No. 6.

CASE No. 6.

CASE No. 6.

We

Mo

Pre

Pre

Cap

Un

Del

Dur

Prim

Circ

Temp

Temp

CASE No. 7.
RECORD OF CHILD.

..... Sex

Weight.....lbs.....oz. Born.....m.....r8

Mother's Name and age.....

.....para. Health.....

Previous History.....

.....

Presentation and Position.....

Caput Succedaneum.....

Unbilical Cord

.....

Delivery.....

Duration.....hrs.....min.

——:0:——

NOTES AT TIME OF BIRTH.

Primary respirations.....

.....

.....

Circulation.....

.....

.....

Temperature.....

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth.....

MEASUREMENTS.

DIAMETERS.

Occipito-frontal c. m. (ins.)
" mental " (ins.)
Sub-occipito-bregmatic " (ins.)
Bi-parietal " (ins.)
Shoulders " (ins.)
Hips " (ins.)

CIRCUMFERENCES.

Occipito-frontal c. m. (ins.)
Occipito-mental " (ins.)
Sub-occipito-bregmatic " (ins.)

Length of child

—:0:—

GENERAL REMARKS.

.....
.....
.....
.....
.....
.....
.....

CASE No. 7.

CASE No. 7.

CASE No. 7.

CASE No. 7.

W

M

Pr

Pr

Ca

Un

De

Du

Pr

Cir

Tem

Tem

CASE NO. 8.
RECORD OF CHILD.

..... Sex.....

Weight lbs. oz. Born m. 18

Mother's Name and age.....

..... para. Health.....

Previous History.....

.....

Presentation and Position

Caput Succedaneum.....

Umbilical Cord.....

.....

Delivery.....

Duration hrs. min.

——:0:——

NOTES AT TIME OF BIRTH.

Primary respirations.....

.....

.....

Circulation.....

.....

.....

Temperature.....

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth.....

MEASUREMENTS.

DIAMETERS.

Occipito-frontal c. m. (ins.)
 " mental " (ins.)
 Sub-occipito-bregmatic " (ins.)
 Bi-parietal " (ins.)
 Shoulders " (ins.)
 Hips " (ins.)

CIRCUMFERENCES.

Occipito-frontal c. m. (ins.)
 Occipito-mental " (ins.)
 Sub-occipito-bregmatic " (ins.)

Length of child

—:O:—

GENERAL REMARKS.

.....

HISTORY.

CASE No. S.

CASE No. 8.

CASE No. 8.

CASE No. 8.

We

Mo

Pre

Pre

Cap

Um

Del

Dura

Prim

Circu

Temp

Temp

CASE No. 9.
RECORD OF CHILD.

..... Sex

Weight.....lbs.....oz. Born.....m.....18

Mother's Name and age.....

.....para. Health.....

Previous History.....

.....

Presentation and Position.....

Caput Succedaneum.....

Umbilical Cord.....

.....

Delivery.....

Duration.....hrs.....min.

—:0:—

NOTES AT TIME OF BIRTH.

Primary respirations.....

.....

.....

Circulation.....

.....

.....

Temperature.....

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth.....

MEASUREMENTS.

DIAMETERS.

Occipito-frontal	c. m. (	ins.)
" mental	" (	ins.)
Sub-occipito-bregmatic	" (	ins.)
Bi-parietal	" (	ins.)
Shoulders	" (	ins.)
Hips	" (	ins.)

CIRCUMFERENCES.

Occipito-frontal	c. m. (	ins.)
Occipito-mental	" (	ins.)
Sub-occipito-bregmatic	" (	ins.)

Length of child

—:O:—

GENERAL REMARKS.

.....

.....

.....

.....

.....

.....

.....

HISTORY.

DATE

CASE No. 9.

CASE No. 9.

CASE No. 9.

CASE No. 9.

W

M

Pro

Pre

Cap

Um

Del

Dur

Prim

Circu

Temp

Temp

CASE No. 10.
RECORD OF CHILD.

..... Sex.....

Weight.....lbs.....oz. Born.....m.....18

Mother's Name and age.....

.....para. Health.....

Previous History.....

.....

Presentation and Position.....

Caput Succedaneum.....

Umbilical Cord.....

.....

Delivery.....

Duration..... hrs. min.

—:0:—

NOTES AT TIME OF BIRTH.

Primary respirations.....

.....

.....

Circulation.....

.....

.....

Temperature.....

Taken in rectum for five minutes immediately after birth.

Temperature 6 hrs. after birth.....

MEASUREMENTS.

DIAMETERS.

Occipito-frontal c. m. (ins.)
" mental " (ins.)
Sub-occipito-bregmatic " (ins.)
Bi-parietal " (ins.)
Shoulders " (ins.)
Hips " (ins.)

CIRCUMFERENCES.

Occipito-frontal c. m. (ins.)
Occipito-mental " (ins.)
Sub-occipito-bregmatic " (ins.)

Length of child

—:0:—

GENERAL REMARKS.

.....

.....

.....

.....

.....

.....

.....

CASE No. 10.

CASE No. 10.

CASE No. 10.

CASE No. 10.

